

TERMINAL BLOCK
BK-34372

NOTE: WIRE PLUG
FROM PIN SIDE

FA-34232

BLACK
WHT
GRN
TO COMBUSTION
BLOWER

ON/OFF
SW-34254

FILTRATION OPTION

CD-34380

CONNECT L1 AND P1
CONNECT L2, L4, L5 AND T8
CONNECT T5, T6 AND T3
INSULATE V-WIRE NUT

NOTE: WIRE MOTOR
FOR 180V, USE CD
BLACK (CD-33882)
WIRE NUTS

PUMP MOTOR
MD-26835

PUMP SWITCH
SW-34240

LI-34252
(LIGHT)
LI-34251
(PUSHBUTTON)

(CR-3851)

BK-3019

STRAIN RELIEF
(BU-3964)

CORD
(CD-34094)
16/3 SJTOW NEMA 5-15P

VOLTS	WATTS	AMPS
120V	864W	7.2A
120V	864W	7.2A

WIRE DIAGRAM

MODELS: ASF-75G DELUXE 120V 1PH 60HZ.

ALTO-SHAAM
MEMORIE FALLS, WISC. 53052-450

BY: MPB SCALE: 1"=1' DWG: D-77011
APP'D: DATE:

NO.	REVISION	BY
1	2/28/07	ED
2	5/2/07	ED
3	7/7/08	JPC

NOTE #1: ALL NUMBERS IN () =
ALTO-SHAAM PART NUMBERS
NOTE #2: SEE 5004611 FOR WIRE ASSEMBLY





