




FRONT DOOR T-ASS'Y(LEFT HINGE)







[illegible]

FRONT DOOR T-ASS'Y(RIGHT HINGE)

[illegible]





[illegible][illegible]

EVAPORATOR DRUM T-ASS'Y




No.	Description	Code	Qt'y
1	EVA DRUM ASS'Y	410029900	1
2	SUPPORT BKT DRUM L	320592900	1
3	OIL SEAL (OD32*ID20*T8,SILICON)	303029800	1
4	BEARING (STS 6202ZZ OD35*ID15*T11)	310005200	1
5	SNAP RING (STS Ø35)	220000600	1
6	DRUM S-PLATE (AL T8*170*271)	349082201	1
7	SUPPORT KNIFE	349082301	1
8	VESSEL SENSOR ASS'Y(BENDING)	701002500	1
9	SENSOR PULL BRACKET	301127900	1
10	SUPPORT BKT DRUM R	320593000	1
11	STS MALE ADAPTER(PT1/4 * 1/4)	398013100	1
12	W-VALVE WASHER(POM,T5.0*ID13.5*OD22)	211005400	1
13	ONE TOUCH FITTING	398012900	1
14	ONE TOUCH FITTING L-CONNECTOR	398013000	1
15	DRUM BOSS(STS304 ODΦ40)	314034100	1
16	DRUM SPROCKET 40T(T4.3, 35 A형)	307005500	1
17	KEY(5*5, L18)	219003300	1
18	DRUM SPROCKET 10T	307005600	1
19	CHAIN #35	305019100	1
20	CHAIN LINK #35 (each)	305019200	1
21	VESSEL SCREW(M4*L8 STS304)	214026800	1
22	MOTOR BOTTOM COVER	301126300	1
23	KNIFE BLADE	696000401	1
24	BOLT HEX(M6*L12 STS316)	214027200	4
25	S-CONTROL MOTOR+GEAR HEAD	737000401	1
25-1	DRUM MOTOR	353029001	1
25-1-1	CAPACITOR(4.0uF 400Vac)	659013500	1
25-2	GEAR HEAD(RATIO 18:1/15:1)	353029400	1
26	THERMISTOR SENSOR	655009500	1
27	NUT ASSY	215014400	2
28	BOLT HEX(M8x35)	B00D02090	4
29	WASHER SPRING((ID8.2*OD15.4*t2.0), MFZN)	211005100	4
A	VESSEL WELD. ASS'Y	610029901	1

COVER & PINCH SOL. VALVE ASS'Y




REAR VIEW[illegible]

[illegible][illegible]




CONTROL BOX ASS'Y

[illegible]



BUTTON DISPLAY ASS'Y

ICETRO(#5)[illegible]

OUT BODY PARTS

[illegible]

ACCESSORY PARTS

[illegible]