




OPTIONAL CONNECTIONS



NOTE:

ALL WIRES EXCEPT 13 AND 14 - 18 GA WIRE
WIRES 13 & 14 USE P.N. 028743 OR SIMILAR
L AND R - 24V AC RELAYS
RB - RECTIFIER BRIDGE 4A/250V
FOR FRYER EQUIPPED WITH CPU USE 24V DC RELAYS.
FOR ALL OTHER USE 24V AC RELAYS






T-TIMER
 CB-CIRCUIT BREAKER
 FS-FLAME SENSOR
 HL-HIGH LIMIT SWITCH
 TR-TRANSFORMER
 TH-THERMOSTAT
 TS-FAT MELT TIMING SWITCH
 R-RELAY 24V AC
 BL-BASKET LIFT CONNECTOR
 RDS-REAR DRAIN SAFETY SWITCH
 HL-HIGH LIMIT SWITCH
 GV-GAS VALVE
 FR-SE FILTER RECEPTACLE


WIRES COLOR CODE:

WH-WHITE
 BL-BLACK
 RD-RED
 BU-BLUE
 BR-BROWN
 OR-ORANGE
 YL-YELLOW
 GR-GREEN



WIRES COLOR CODE:

WH-WHITE
 BL-BLACK
 RD-RED
 BU-BLUE
 BR-BROWN
 OR-ORANGE
 YL-YELLOW
 GR-GREEN



TO MATCHING PLUG ON
POWER SUPPLY BOX /

TO GAS VALVE

