Changes for the Better

SERVICE PARTS LIST FOR MITSUBISHI ELECTRIC PACKAGED AIR-CONDITIONERS

Series : PURY-P•TGMU-A(-BS)

For use with the R410A

REVISED
May. 2007
BWE0505D

INDEX

PURY-P72TGMU-A(-BS)
PURY-P96TGMU-A(-BS)
PURY-P108TGMU-A(-BS)
PURY-P126TGMU-A(-BS)
PURY-P144TGMU-A(-BS)
PURY-P168TGMU-A(-BS)
PURY-P192TGMU-A(-BS)
PURY-P204TGMU-A(-BS)
PURY-P216TGMU-A(-BS)
PURY-P234TGMU-A(-BS)

MITSUBISHI ELECTRIC

Please change the old catalog (issued Dec 2006, No.BWE0505C) to this new catalog.
Content of revision : Some of parts are changed.


115
118
121
122
111.112
113.114
123
124
102
119.120
131~136
109.110
125~130
111.112
105.106
101
116.117
113.114
107.108
103.104
137.138

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P72TGMU-A	-P96TGMU-A	-P108TGMU-A		Dwg. No.	Price	Revision History
101	R63 E66 611	G	Guard F assy		1	1	1		W265788G01		
102	R63 A42 638	G	Guard B assy		1	1	1		W265789G01		
103	R63 6A7 667	G	Partition board L assy		1	1	1		W657494G03		
104	R63 6A8 667	G	Partition board L assy						W657494G04		
105	R63 R37 668	G	Partition board R assy		1	1	1		W656424G01		
106	R63 R38 668	G	Partition board R assy						W656424G02		
107	R63 R34 651	G	Panel F		1	1	1		W655252H01		
108	R63 R36 651	G	Panel F						W655252G02		
109	R63 Y32 652	G	Panel B		1	1	1		W655227H02		
110	R63 R36 677	G	Panel B						W655227G04		
111	R63 L78 653	G	Panel FU		2	2	2		W633746H06		
112	R63 R36 652	G	Panel FU						W633746G07		
113	R63 N78 661	G	Panel S		2	2	2		W272421H01		
114	R63 R36 661	G	Panel S						W272421G03		
115	R63 N78 118	G	Fan guard		1	1	1		W126832G02		
116	R63 A42 659	G	Front panel		1	1	1		W615888H18		
117	R63 A43 659	G	Front panel						W615888G09		
118	R61 A69 086	G	Cap		1	1	1		P221056X01		
119	R63 A42 140	G	Fan stand		2	2	2		W856127G05		
120	R63 A43 140	G	Fan stand						W856127G06		
121	R63 A42 122	G	Nut 16		1	1	1		P541016X01		
122	R63 N78 115	G	Propeller fan	750D	1	1	1		W126814G01		
123	R61 Y45 221	W	Motor EEOK-IOTV2	180V 33Hz	1	1	1		P714997X01		
124	R63 E90 087	G	Screw 6×14		4	4	4		P521020X01		
125	R61 Y66 482	W	Heat exchanger F		1				W276877G12		
126	R61 Y67 482	W	Heat exchanger F						W276877G13		
127	R61 Y68 482		Heat exchanger F			1			W662549G15		
128	R61 Y69 482		Heat exchanger F						W662549G22		
129	R61 Y70 482		Heat exchanger F				1		W662549G16		
130	R61 Y71 482		Heat exchanger F						W662549G23		
131	R61 Y72 482	W	Heat exchanger B		1				W276878G06		
132	R61 Y73 482	W	Heat exchanger B						W276878G07		
133	R61 Y74 482		Heat exchanger B			1			W662550G15		
134	R61 Y75 482		Heat exchanger B						W662550G22		
135	R61 Y76 482		Heat exchanger B				1		W662550G16		
136	R61 Y77 482		Heat exchanger B						W662550G23		
137	R61 Y42 305	W	Control box	R-P72TGMU	1				W278144G04		
138	R61 Y43 305	W	Control box	R-P96TGMU		1	1		W278144G05		

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P72TGMU-A-BS	-P96TGMU-A-BS	-P108TGMU-A-BS		Dwg. No.	Price	Revision History
101	R63 E66 611	G	Guard F assy		1	1	1		W265788G01		
102	R63 A42 638	G	Guard B assy		1	1	1		W265789G01		
103	R63 6A7 667	G	Partition board L assy						W657494G03		
104	R63 6A8 667	G	Partition board L assy		1	1	1		W657494G04		
105	R63 R37 668	G	Partition board R assy						W656424G01		
106	R63 R38 668	G	Partition board R assy		1	1	1		W656424G02		
107	R63 R34 651	G	Panel F						W655252H01		
108	R63 R36 651	G	Panel F		1	1	1		W655252G02		
109	R63 Y32 652	G	Panel B						W655227H02		
110	R63 R36 677	G	Panel B		1	1	1		W655227G04		
111	R63 L78 653	G	Panel FU						W633746H06		
112	R63 R36 652	G	Panel FU		2	2	2		W633746G07		
113	R63 N78 661	G	Panel S						W272421H01		
114	R63 R36 661	G	Panel S		2	2	2		W272421G03		
115	R63 N78 118	G	Fan guard		1	1	1		W126832G02		
116	R63 A42 659	G	Front panel						W615888H18		
117	R63 A43 659	G	Front panel		1	1	1		W615888G09		
118	R61 A69 086	G	Cap		1	1	1		P221056X01		
119	R63 A42 140	G	Fan stand						W856127G05		
120	R63 A43 140	G	Fan stand		2	2	2		W856127G06		
121	R63 A42 122	G	Nut 16		1	1	1		P541016X01		
122	R63 N78 115	G	Propeller fan	750D	1	1	1		W126814G01		
123	R61 Y45 221	W	Motor EEOK-IOTV2	180V 33Hz	1	1	1		P714997X01		
124	R63 E90 087	G	Screw 6×14		4	4	4		P521020X01		
125	R61 Y66 482	W	Heat exchanger F						W276877G12		
126	R61 Y67 482	W	Heat exchanger F		1				W276877G13		
127	R61 Y68 482		Heat exchanger F						W662549G15		
128	R61 Y69 482		Heat exchanger F			1			W662549G22		
129	R61 Y70 482		Heat exchanger F						W662549G16		
130	R61 Y71 482		Heat exchanger F				1		W662549G23		
131	R61 Y72 482	W	Heat exchanger B						W276878G06		
132	R61 Y73 482	W	Heat exchanger B		1				W276878G07		
133	R61 Y74 482		Heat exchanger B						W662550G15		
134	R61 Y75 482		Heat exchanger B			1			W662550G22		
135	R61 Y76 482		Heat exchanger B						W662550G16		
136	R61 Y77 482		Heat exchanger B				1		W662550G23		
137	R61 Y42 305	W	Control box	R-P72TGMU	1				W278144G04		
138	R61 Y43 305	W	Control box	R-P96TGMU		1	1		W278144G05		


215
234.235
234.235
211.212
218
222
223
213.214
202
221
224
219.220
209.210
229~232
225~228
211.212
205.206
201
213.214
203.204
233
216.217
207.208

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P126TGMU-A	-P144TGMU-A	-P126TGMU-A-BS	-P144TGMU-A-BS	Dwg. No.	Price	Revision History
201	R63 A52 637	G	Guard F assy		1	1	1	1	W265792G01		
202	R63 A52 638	G	Guard B assy		1	1	1	1	W265791G01		
203	R63 Y28 629	G	Partition board L assy		1	1			W657494G01		
204	R63 Y29 629	G	Partition board L assy				1	1	W657494G02		
205	R63 R37 668	G	Partition board R assy		1	1			W656424G01		
206	R63 R38 668	G	Partition board R assy				1	1	W656424G02		
207	R63 R55 651	G	Panel F		1	1			W655254H01		
208	R63 R57 651	G	Panel F				1	1	W655254G02		
209	R63 Y33 629	G	Panel B		1	1			W655225H02		
210	R63 R57 677	G	Panel B				1	1	W655225G04		
211	R63 M23 651	G	Panel FU		2	2			W633747H05		
212	R63 R57 652	G	Panel FU				2	2	W633747G05		
213	R63 N78 661	G	Panel S		2	2			W272421H01		
214	R63 R36 661	G	Panel S				2	2	W272421G03		
215	R63 N78 118	G	Fan guard		1	1	1	1	W126832G02		
216	R63 A52 659	G	Front panel		1	1			W615888H19		
217	R63 A53 659	G	Front panel				1	1	W615888G10		
218	R61 A69 086	G	Cap		1	1	1	1	P221056X01		
219	R63 432 140	G	Fan stand		2	2			W862595G01		
220	R63 433 140	G	Fan stand				2	2	W862595G02		
221	R63 E90 087	G	Screw 6×14		4	4	4	4	P521020X01		
222	R63 A42 122	G	Nut 16		1	1	1	1	P541016X01		
223	R63 N78 115	G	Propeller fan	750D	1	1	1	1	W126814G01		
224	R61 R55 220	W	Motor EEOK-IOT 640W	180V 40.5Hz	1	1	1	1	P714932X01		
225	R61 Y78 482		Heat exchanger F		1				W662549G17		
226	R61 Y79 482		Heat exchanger F				1		W662549G24		
227	R61 Y80 482		Heat exchanger F			1			W662549G18		
228	R61 Y81 482		Heat exchanger F					1	W662549G25		
229	R61 Y82 482		Heat exchanger B		1				W662550G17		
230	R61 Y83 482		Heat exchanger B				1		W662550G24		
231	R61 Y84 482		Heat exchanger B			1			W662550G18		
232	R61 Y85 482		Heat exchanger B					1	W662550G25		
233	R61 Y44 305	W	Control box	R-P126TGMU	1	1	1	1	W278144G06		
234	R63 P85 499	G	Cover assy		2	2			W653698G01		
235	R63 R57 667	G	Cover assy				2	2	W653698G03		

PURY-P168,P192TGMU-A(-BS)
PURY-P204,P216TGMU-A(-BS)
PURY-P234TGMU-A(-BS)

EXTERNAL PARTS & BLOWER PARTS (3)



No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P168TGMU-A	-P192TGMU-A	-P204TGMU-A	-P216TGMU-A	Dwg. No.	Price	Revision History
301	R63 E66 611	G	Guard F assy		2	2	2	2	W265788G01		
302	R63 A42 638	G	Guard B assy		2	2	2	2	W265789G01		
303	R63 R34 667	G	Partition board L assy		1	1	1	1	W656425G01		
304	R63 R35 667	G	Partition board L assy						W656425G02		
305	R63 6A7 667	G	Partition board L assy		1	1	1	1	W657494G03		
306	R63 6A8 667	G	Partition board L assy						W657494G04		
307	R63 R43 668	G	Partition board R assy		1	1	1	1	W656424G03		
308	R63 R44 668	G	Partition board R assy						W656424G04		
309	R63 R43 667	G	Partition board R assy		1	1	1	1	W656424G05		
310	R63 R44 667	G	Partition board R assy						W656424G06		
311	R63 R43 626	G	Stay M		2	2	2	2	W656007G05		
312	R63 R44 626	G	Stay M						W656007G02		
313	R63 R34 651	G	Panel F		2	2	2	2	W655252H01		
314	R63 R36 651	G	Panel F						W655252G02		
315	R63 Y32 652	G	Panel B		2	2	2	2	W655227H02		
316	R63 R36 677	G	Panel B						W655227G04		
317	R63 L78 653	G	Panel FU		4	4	4	4	W633746H06		
318	R63 R36 652	G	Panel FU						W633746G07		
319	R63 N78 661	G	Panel S		2	2	2	2	W272421H01		
320	R63 R36 661	G	Panel S						W272421G03		
321	R63 E66 125	G	Beam M		1	1	1	1	W623718G01		
322	R63 E67 125	G	Beam M						W623718G03		
323	R63 N78 118	G	Fan guard		2	2	2	2	W126832G02		
324	R63 A42 659	G	Front panel		2	2	2	2	W615888H18		
325	R63 A43 659	G	Front panel						W615888G09		
326	R61 A69 086	G	Cap		2	2	2	2	P221056X01		
327	R63 A42 140	G	Fan stand		4	4	4	4	W856127G05		
328	R63 A43 140	G	Fan stand						W856127G06		
329	R63 A42 122	G	Nut 16		2	2	2	2	P541016X01		
330	R63 N78 115	G	Propeller fan	750D	2	2	2	2	W126814G01		
331	R61 Y45 221	W	Motor EEOK-IOTV2	180V 33Hz	2	2	2	2	P714997X01		
332	R63 E90 087	G	Screw 6×14		8	8	8	8	P521020X01		
333	R61 Y68 482		Heat exchanger F		1				W662549G15		
334	R61 Y69 482		Heat exchanger F						W662549G22		
335	R61 Y70 482		Heat exchanger F			1			W662549G16		
336	R61 Y71 482		Heat exchanger F						W662549G23		
337	R61 Y86 482		Heat exchanger F				1		W662549G19		
338	R61 Y87 482		Heat exchanger F						W662549G26		
339	R61 Y88 482		Heat exchanger F					1	W662549G20		
340	R61 Y89 482		Heat exchanger F						W662549G27		
341	R61 Y90 482		Heat exchanger F						W662549G21		
342	R61 Y91 482		Heat exchanger F						W662549G28		
343	R61 Y92 482		Heat exchanger F		1				W658623G21		
344	R61 Y93 482		Heat exchanger F						W658623G26		
345	R61 Y94 482		Heat exchanger F			1			W658623G22		

EXTERNAL PARTS & BLOWER PARTS (3)

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P168TGMU-A	-P192TGMU-A	-P204TGMU-A	-P216TGMU-A	Dwg. No.	Price	Revision History
346	R61 Y95 482		Heat exchanger F						W658623G27		
347	R61 Y96 482		Heat exchanger F				1		W658623G23		
348	R61 Y97 482		Heat exchanger F						W658623G28		
349	R61 Y98 482		Heat exchanger F					1	W658623G24		
350	R61 Y99 482		Heat exchanger F						W658623G29		
351	R61 Y01 483		Heat exchanger F						W658623G25		
352	R61 Y02 483		Heat exchanger F						W658623G30		
353	R61 Y74 482		Heat exchanger B		2				W662550G15		
354	R61 Y75 482		Heat exchanger B						W662550G22		
355	R61 Y76 482		Heat exchanger B			2			W662550G16		
356	R61 Y77 482		Heat exchanger B						W662550G23		
357	R61 Y03 483		Heat exchanger B				2		W662550G19		
358	R61 Y04 483		Heat exchanger B						W662550G26		
359	R61 Y05 483		Heat exchanger B					2	W662550G20		
360	R61 Y06 483		Heat exchanger B						W662550G27		
361	R61 Y07 483		Heat exchanger B						W662550G21		
362	R61 Y08 483		Heat exchanger B						W662550G28		
363	R61 Y45 305	W	Control box	R-P168TGMU	1	1	1	1	W278146G02		

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P234TGMU-A	-P168TGMU-A-BS	-P192TGMU-A-BS	-P204TGMU-A-BS	Dwg. No.	Price	Revision History
301	R63 E66 611	G	Guard F assy		2	2	2	2	W265788G01		
302	R63 A42 638	G	Guard B assy		2	2	2	2	W265789G01		
303	R63 R34 667	G	Partition board L assy		1				W656425G01		
304	R63 R35 667	G	Partition board L assy			1	1	1	W656425G02		
305	R63 6A7 667	G	Partition board L assy		1				W657494G03		
306	R63 6A8 667	G	Partition board L assy			1	1	1	W657494G04		
307	R63 R43 668	G	Partition board R assy		1				W656424G03		
308	R63 R44 668	G	Partition board R assy			1	1	1	W656424G04		
309	R63 R43 667	G	Partition board R assy		1				W656424G05		
310	R63 R44 667	G	Partition board R assy			1	1	1	W656424G06		
311	R63 R43 626	G	Stay M		2				W656007G05		
312	R63 R44 626	G	Stay M			2	2	2	W656007G02		
313	R63 R34 651	G	Panel F		2				W655252H01		
314	R63 R36 651	G	Panel F			2	2	2	W655252G02		
315	R63 Y32 652	G	Panel B		2				W655227H02		
316	R63 R36 677	G	Panel B			2	2	2	W655227G04		
317	R63 L78 653	G	Panel FU		4				W633746H06		
318	R63 R36 652	G	Panel FU			4	4	4	W633746G07		
319	R63 N78 661	G	Panel S		2				W272421H01		
320	R63 R36 661	G	Panel S			2	2	2	W272421G03		
321	R63 E66 125	G	Beam M		1				W623718G01		
322	R63 E67 125	G	Beam M			1	1	1	W623718G03		
323	R63 N78 118	G	Fan guard		2	2	2	2	W126832G02		
324	R63 A42 659	G	Front panel		2				W615888H18		
325	R63 A43 659	G	Front panel			2	2	2	W615888G09		
326	R61 A69 086	G	Cap		2	2	2	2	P221056X01		
327	R63 A42 140	G	Fan stand		4				W856127G05		
328	R63 A43 140	G	Fan stand			4	4	4	W856127G06		
329	R63 A42 122	G	Nut 16		2	2	2	2	P541016X01		
330	R63 N78 115	G	Propeller fan	750D	2	2	2	2	W126814G01		
331	R61 Y45 221	W	Motor EEOK-IOTV2	180V 33Hz	2	2	2	2	P714997X01		
332	R63 E90 087	G	Screw 6×14		8	8	8	8	P521020X01		
333	R61 Y68 482		Heat exchanger F						W662549G15		
334	R61 Y69 482		Heat exchanger F			1			W662549G22		
335	R61 Y70 482		Heat exchanger F						W662549G16		
336	R61 Y71 482		Heat exchanger F				1		W662549G23		
337	R61 Y86 482		Heat exchanger F						W662549G19		
338	R61 Y87 482		Heat exchanger F					1	W662549G26		
339	R61 Y88 482		Heat exchanger F						W662549G20		
340	R61 Y89 482		Heat exchanger F						W662549G27		
341	R61 Y90 482		Heat exchanger F		1				W662549G21		
342	R61 Y91 482		Heat exchanger F						W662549G28		
343	R61 Y92 482		Heat exchanger F						W658623G21		
344	R61 Y93 482		Heat exchanger F			1			W658623G26		
345	R61 Y94 482		Heat exchanger F						W658623G22		

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P234TGMU-A	-P168TGMU-A-BS	-P192TGMU-A-BS	-P204TGMU-A-BS	Dwg. No.	Price	Revision History
346	R61 Y95 482		Heat exchanger F				1		W658623G27		
347	R61 Y96 482		Heat exchanger F						W658623G23		
348	R61 Y97 482		Heat exchanger F					1	W658623G28		
349	R61 Y98 482		Heat exchanger F						W658623G24		
350	R61 Y99 482		Heat exchanger F						W658623G29		
351	R61 Y01 483		Heat exchanger F		1				W658623G25		
352	R61 Y02 483		Heat exchanger F						W658623G30		
353	R61 Y74 482		Heat exchanger B						W662550G15		
354	R61 Y75 482		Heat exchanger B			2			W662550G22		
355	R61 Y76 482		Heat exchanger B						W662550G16		
356	R61 Y77 482		Heat exchanger B				2		W662550G23		
357	R61 Y03 483		Heat exchanger B						W662550G19		
358	R61 Y04 483		Heat exchanger B					2	W662550G26		
359	R61 Y05 483		Heat exchanger B						W662550G20		
360	R61 Y06 483		Heat exchanger B						W662550G27		
361	R61 Y07 483		Heat exchanger B		2				W662550G21		
362	R61 Y08 483		Heat exchanger B						W662550G28		
363	R61 Y45 305	W	Control box	R-P168TGMU	1	1	1	1	W278146G02		

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P216TGMU-A-BS	-P234TGMU-A-BS			Dwg. No.	Price	Revision History
301	R63 E66 611	G	Guard F assy		2	2			W265788G01		
302	R63 A42 638	G	Guard B assy		2	2			W265789G01		
303	R63 R34 667	G	Partition board L assy						W656425G01		
304	R63 R35 667	G	Partition board L assy		1	1			W656425G02		
305	R63 6A7 667	G	Partition board L assy						W657494G03		
306	R63 6A8 667	G	Partition board L assy		1	1			W657494G04		
307	R63 R43 668	G	Partition board R assy						W656424G03		
308	R63 R44 668	G	Partition board R assy		1	1			W656424G04		
309	R63 R43 667	G	Partition board R assy						W656424G05		
310	R63 R44 667	G	Partition board R assy		1	1			W656424G06		
311	R63 R43 626	G	Stay M						W656007G05		
312	R63 R44 626	G	Stay M		2	2			W656007G02		
313	R63 R34 651	G	Panel F						W655252H01		
314	R63 R36 651	G	Panel F		2	2			W655252G02		
315	R63 Y32 652	G	Panel B						W655227H02		
316	R63 R36 677	G	Panel B		2	2			W655227G04		
317	R63 L78 653	G	Panel FU						W633746H06		
318	R63 R36 652	G	Panel FU		4	4			W633746G07		
319	R63 N78 661	G	Panel S						W272421H01		
320	R63 R36 661	G	Panel S		2	2			W272421G03		
321	R63 E66 125	G	Beam M						W623718G01		
322	R63 E67 125	G	Beam M		1	1			W623718G03		
323	R63 N78 118	G	Fan guard		2	2			W126832G02		
324	R63 A42 659	G	Front panel						W615888H18		
325	R63 A43 659	G	Front panel		2	2			W615888G09		
326	R61 A69 086	G	Cap		2	2			P221056X01		
327	R63 A42 140	G	Fan stand						W856127G05		
328	R63 A43 140	G	Fan stand		4	4			W856127G06		
329	R63 A42 122	G	Nut 16		2	2			P541016X01		
330	R63 N78 115	G	Propeller fan	750D	2	2			W126814G01		
331	R61 Y45 221	W	Motor EEOK-IOTV2	180V 33Hz	2	2			P714997X01		
332	R63 E90 087	G	Screw 6×14		8	8			P521020X01		
333	R61 Y68 482		Heat exchanger F						W662549G15		
334	R61 Y69 482		Heat exchanger F						W662549G22		
335	R61 Y70 482		Heat exchanger F						W662549G16		
336	R61 Y71 482		Heat exchanger F						W662549G23		
337	R61 Y86 482		Heat exchanger F						W662549G19		
338	R61 Y87 482		Heat exchanger F						W662549G26		
339	R61 Y88 482		Heat exchanger F						W662549G20		
340	R61 Y89 482		Heat exchanger F		1				W662549G27		
341	R61 Y90 482		Heat exchanger F						W662549G21		
342	R61 Y91 482		Heat exchanger F			1			W662549G28		
343	R61 Y92 482		Heat exchanger F						W658623G21		
344	R61 Y93 482		Heat exchanger F						W658623G26		
345	R61 Y94 482		Heat exchanger F						W658623G22		

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P216TGMU-A-BS	-P234TGMU-A-BS			Dwg. No.	Price	Revision History
346	R61 Y95 482		Heat exchanger F						W658623G27		
347	R61 Y96 482		Heat exchanger F						W658623G23		
348	R61 Y97 482		Heat exchanger F						W658623G28		
349	R61 Y98 482		Heat exchanger F						W658623G24		
350	R61 Y99 482		Heat exchanger F		1				W658623G29		
351	R61 Y01 483		Heat exchanger F						W658623G25		
352	R61 Y02 483		Heat exchanger F			1			W658623G30		
353	R61 Y74 482		Heat exchanger B						W662550G15		
354	R61 Y75 482		Heat exchanger B						W662550G22		
355	R61 Y76 482		Heat exchanger B						W662550G16		
356	R61 Y77 482		Heat exchanger B						W662550G23		
357	R61 Y03 483		Heat exchanger B						W662550G19		
358	R61 Y04 483		Heat exchanger B						W662550G26		
359	R61 Y05 483		Heat exchanger B						W662550G20		
360	R61 Y06 483		Heat exchanger B		2				W662550G27		
361	R61 Y07 483		Heat exchanger B						W662550G21		
362	R61 Y08 483		Heat exchanger B			2			W662550G28		
363	R61 Y45 305	W	Control box	R-P168TGMU	1	1			W278146G02		



ACCESSORY (ADAPTER)



*1. This product is an adapter that allows the use of tools designed for use with 1/4"-diameter materials with the high/low-pressure pipes and 5/16"-diameter charge plugs on the 2 ball valves on the unit body.

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P72TGMU-A	-P96TGMU-A	-P108TGMU-A		Dwg. No.	Price	Revision History
401	R63 Y53 484	G	Accumulator assy		1	1	1		W274166G09		
402	R63 Y11 208	G	Pressure switch	ACB1UB28W <63H1>	1	1	1		P426320X01		
403	R63 R34 288	G	Pressure sensor R410A	<63HS>	1	1	1		P418015X01		
404	R63 R37 288	G	Pressure sensor R410A	<63LS>	1	1	1		P418014X01		
405	R63 R34 487	G	Oil separator assy		1	1	1		W656027G01		
406	R63 R34 425	G	Capillary tube assy		1	1	1		W905625G02		
407	R63 911 202	G	Thermistor	<TH11>	1	1	1		P425416X02		
408	R63 670 202	G	Thermistor NTH3A14	<TH5~7>	3	3	3		P425496X01		
409	R63 Y05 154	G	Four way valve STF-07	R410A	1	1	1		P633119X01		
410	R61 Y21 243	W	Solenoid coil STF-01	<21S4a>	1	1	1		P472028X01		
411	R61 A45 287	G	Sensor cover	EVA(12.7D)	1	1	1		P227171X01		
412	R63 R34 413	G	Check joint L R410A	VCSH2S-LM	1	1	1		P666001X01		
413	R63 S84 413	G	Check joint R410A	VCSH2S	1	1	1		P666002X01		
414	R63 R43 418	G	Check valve BCV-1005DY	R410A 4.15MPa CV3.5	1	1	1		P639165X01		
415	R61 008 243		Solenoid valve coil	<SV1,SV2>	2	2	2		W875295G10		D
416	R61 021 232		Solenoid valve		2	2	2		KB00H253G01		D
417	R61 Y09 236	W	Crank case heater 10	<CH11>	1	1	1		P497019X01		
418	R63 0G9 441	G	Pipe assy	ID19.05	1				W663334G01		
419	R63 9F2 441	G	Pipe assy	ID22.2		1	1		W663334G02		
420	R63 R46 441	G	Pipe assy		1				W905698G03		
421	R63 R34 494	G	Pipe assy			1	1		W905698G02		
422	R69 A39 478	W	Scroll compressor	HNB71FA-BU <MC>	1	1	1		EP10092G11		
423	R63 R37 580	G	Insulation cover	Body	1	1	1		W654314G02		
424	R63 R55 580	G	Insulation cover	Head	1	1	1		W903526G02		
425	R63 R34 410	G	Ball valve VSBH-6	R410A	1	1	1		P636308X01		
426	R63 R40 410	G	Ball valve VSMBH-8	R410A	1	1	1		P636309X02		
427	R61 F14 514	G	Packing		1	1	1		P321009X01		
428	R61 6A7 243	W	Solenoid valve coil	<SV4a~SV4d>	4	4	4		P472010X01		
429	R63 6A7 235	G	Solenoid valve ACS		4	4	4		P631285X01		
430	R63 6A7 232	G	Solenoid valve assy		1	1	1		W654369G02		
431	R63 6A7 418	G	Check valve assy		1	1	1		W276816G01		
432	R63 6A7 245	G	SV socket wrench		1	1	1		W909209G01		
433	R11 707 890	W	Fusible plug		1	1	1		P649019X01		
434	R61 Y04 490	W	Accessory (Adapter)		1	1	1		W915733G01		

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P72TGMU-A-BS	-P96TGMU-A-BS	-P108TGMU-A-BS		Dwg. No.	Price	Revision History
401	R63 Y53 484	G	Accumulator assy		1	1	1		W274166G09		
402	R63 Y11 208	G	Pressure switch	ACB1UB28W <63H1>	1	1	1		P426320X01		
403	R63 R34 288	G	Pressure sensor R410A	<63HS>	1	1	1		P418015X01		
404	R63 R37 288	G	Pressure sensor R410A	<63LS>	1	1	1		P418014X01		
405	R63 R34 487	G	Oil separator assy		1	1	1		W656027G01		
406	R63 R34 425	G	Capillary tube assy		1	1	1		W905625G02		
407	R63 911 202	G	Thermistor	<TH11>	1	1	1		P425416X02		
408	R63 670 202	G	Thermistor NTH3A14	<TH5~7>	3	3	3		P425496X01		
409	R63 Y05 154	G	Four way valve STF-07	R410A	1	1	1		P633119X01		
410	R61 Y21 243	W	Solenoid coil STF-01	<21S4a>	1	1	1		P472028X01		
411	R61 A45 287	G	Sensor cover	EVA(12.7D)	1	1	1		P227171X01		
412	R63 R34 413	G	Check joint L R410A	VCSH2S-LM	1	1	1		P666001X01		
413	R63 S84 413	G	Check joint R410A	VCSH2S	1	1	1		P666002X01		
414	R63 R43 418	G	Check valve BCV-1005DY	R410A 4.15MPa CV3.5	1	1	1		P639165X01		
415	R61 008 243		Solenoid valve coil	<SV1,SV2>	2	2	2		W875295G10		D
416	R61 021 232		Solenoid valve		2	2	2		KB00H253G01		D
417	R61 Y09 236	W	Crank case heater 10	<CH11>	1	1	1		P497019X01		
418	R63 0G9 441	G	Pipe assy	ID19.05	1				W663334G01		
419	R63 9F2 441	G	Pipe assy	ID22.2		1	1		W663334G02		
420	R63 R46 441	G	Pipe assy		1				W905698G03		
421	R63 R34 494	G	Pipe assy			1	1		W905698G02		
422	R69 A39 478	W	Scroll compressor	HNB71FA-BU <MC>	1	1	1		EP10092G11		
423	R63 R37 580	G	Insulation cover	Body	1	1	1		W654314G02		
424	R63 R55 580	G	Insulation cover	Head	1	1	1		W903526G02		
425	R63 R34 410	G	Ball valve VSBH-6	R410A	1	1	1		P636308X01		
426	R63 R40 410	G	Ball valve VSMBH-8	R410A	1	1	1		P636309X02		
427	R61 F14 514	G	Packing		1	1	1		P321009X01		
428	R61 6A7 243	W	Solenoid valve coil	<SV4a~SV4d>	4	4	4		P472010X01		
429	R63 6A7 235	G	Solenoid valve ACS		4	4	4		P631285X01		
430	R63 6A7 232	G	Solenoid valve assy		1	1	1		W654369G02		
431	R63 6A7 418	G	Check valve assy		1	1	1		W276816G01		
432	R63 6A7 245	G	SV socket wrench		1	1	1		W909209G01		
433	R11 707 890	W	Fusible plug		1	1	1		P649019X01		
434	R61 Y04 490	W	Accessory (Adapter)		1	1	1		W915733G01		



ACCESSORY (ADAPTER)



*1. This product is an adapter that allows the use of tools designed for use with 1/4"-diameter materials with the high/low-pressure pipes and 5/16"-diameter charge plugs on the 2 ball valves on the unit body.

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P126TGMU-A	-P144TGMU-A	-P126TGMU-A-BS	-P144TGMU-A-BS	Dwg. No.	Price	Revision History
501	R63 Y54 484	G	Accumulator assy		1	1	1	1	W274190G04		
502	R63 Y11 208	G	Pressure switch	ACB1UB28W <63H1>	1	1	1	1	P426320X01		
503	R63 R34 288	G	Pressure sensor R410A	<63HS>	1	1	1	1	P418015X01		
504	R63 R37 288	G	Pressure sensor R410A	<63LS>	1	1	1	1	P418014X01		
505	R63 R55 487	G	Oil separator assy		1	1	1	1	W656026G01		
506	R63 R55 425	G	Capillary tube assy		1	1	1	1	W905191G02		
507	R63 911 202	G	Thermistor	<TH11>	1	1	1	1	P425416X02		
508	R63 670 202	G	Thermistor NTH3A14	<TH5~7>	3	3	3	3	P425496X01		
509	R61 003 154		Four way valve	R410A	1	1	1	1	KB00F029G05		
510	R61 001 242		Four way valve coil	<21S4a>	1	1	1	1	W875295G07		
511	R61 A45 287	G	Sensor cover	EVA(12.7D)	1	1	1	1	P227171X01		
512	R63 R34 413	G	Check joint L R410A	VCSH2S-LM	2	2	2	2	P666001X01		
513	R63 R43 418	G	Check valve BCV-1005DY	R410A 4.15MPa CV3.5	1	1	1	1	P639165X01		
514	R61 008 243		Solenoid valve coil	<SV1,SV2>	2	2	2	2	W875295G10		D
515	R61 021 232		Solenoid valve		2	2	2	2	KB00H253G01		D
516	R61 Y09 236	W	Crank case heater 10	<CH11>	1	1	1	1	P497019X01		
517	R63 0G9 441	G	Pipe assy	ID19.05	1		1		W663334G01		
518	R61 Y17 494	W	Pipe assy	ID19.05(down-facing)	1		1		W663332G02		
519	R63 9F2 442	G	Pipe assy	ID28.6	1	1	1	1	W663334G04		
520	R63 9F2 441	G	Pipe assy	ID22.2		1		1	W663334G02		
521	R63 7A4 494	G	Pipe assy	ID22.2(down-facing)		1		1	W663332G01		
522	R69 A39 478	W	Scroll compressor	HNB71FA-BU <MC>	1	1	1	1	EP10092G11		
523	R63 R37 580	G	Insulation cover	Body	1	1	1	1	W654314G02		
524	R63 R55 580	G	Insulation cover	Head	1	1	1	1	W903526G02		
525	R63 R40 410	G	Ball valve VSMBH-8	R410A	2	2	2	2	P636309X02		
526	R61 F14 514	G	Packing		2	2	2	2	P321009X01		
527	R61 6A7 243	W	Solenoid valve coil	<SV4a~SV4d>	4	4	4	4	P472010X01		
528	R63 6A7 235	G	Solenoid valve ACS		4	4	4	4	P631285X01		
529	R63 6A7 232	G	Solenoid valve assy		1	1	1	1	W654369G02		
530	R63 6A7 418	G	Check valve assy		1	1	1	1	W276816G01		
531	R63 6A7 245	G	SV socket wrench		1	1	1	1	W909209G01		
532	R11 707 890	W	Fusible plug		1	1	1	1	P649019X01		
533	R61 Y04 490	W	Accessory (Adapter)		1	1	1	1	W915733G01		

FUNCTIONAL PARTS (3)





A

ACCESSORY (ADAPTER)



*1. This product is an adapter that allows the use of tools designed for use with 1/4"-diameter materials with the high/low-pressure pipes and 5/16"-diameter charge plugs on the 2 ball valves on the unit body.

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P168TGMU-A	-P192TGMU-A	-P204TGMU-A	-P216TGMU-A	Dwg. No.	Price	Revision History
601	R63 Y05 110	G	Accumulator assy		1	1	1	1	W274189G05		
602	R63 Y11 208	G	Pressure switch	ACB1UB28W <63H1,2>	2	2	2	2	P426320X01		
603	R63 R34 288	G	Pressure sensor R410A	<63HS>	1	1	1	1	P418015X01		
604	R63 R37 288	G	Pressure sensor R410A	<63LS>	1	1	1	1	P418014X01		
605	R63 Y03 530	G	Oil tank		1	1	1	1	W655257G07		
606	R63 R44 487	G	Oil separator assy 1	</S1>	1	1	1	1	W656073G02		
607	R63 R43 487	G	Oil separator assy 2	<O/S2>	1	1	1	1	W656074G01		
608	R63 R55 425	G	Capillary tube assy		2	2	2	2	W905191G02		
609	R63 911 202	G	Thermistor	<TH11,12>	2	2	2	2	P425416X02		
610	R63 670 202	G	Thermistor NTH3A14	<TH5~7>	3	3	3	3	P425496X01		
611	R61 003 154		Four way valve	R410A	2	2	2	2	KB00F029G05		
612	R61 001 242		Solenoid valve coil	<21S4a,21S4b>	2	2	2	2	W875295G07		
613	R61 A45 287	G	Sensor cover	EVA(12.7D)	1	1	1	1	P227171X01		
614	R63 R34 413	G	Check joint L R410A	VCSH2S-LM	3	3	3	3	P666001X01		
615	R63 R43 418	G	Check valve BCV-1005DY	R410A 4.15MPa CV3.5	3	3	3	3	P639165X01		
616	R61 008 243		Solenoid valve coil	<SV1~SV3>	3	3	3	3	W875295G10		D
617	R61 021 232		Solenoid valve		3	3	3	3	KB00H253G01		D
618	R61 Y10 236	W	Crank case heater 20	<CH11,12>	2	2	2	2	P497020X01		
619	R11 707 890	W	Fusible plug		1	1	1	1	P649019X01		
620	R63 Y14 494	G	Pipe assy		1	1	1	1	W659300G03		
621	R63 9F2 441	G	Pipe assy	ID22.2	1	1			W663334G02		
622	R63 9F2 442	G	Pipe assy	ID28.6	1	1	2	2	W663334G04		
623	R69 A41 478	W	Scroll compressor	HNB71FA-JU <MC1>	1	1	1	1	EP10092G12		
624	R69 A40 478	W	Scroll compressor	HN71TA-JU <MC2>	1	1	1	1	EP10093G05		
625	R63 R37 580	G	Insulation cover	Body	2	2	2	2	W654314G02		
626	R63 R55 580	G	Insulation cover	Head	2	2	2	2	W903526G02		
627	R63 R40 410	G	Ball valve VSMBH-8	R410A	2	2	2	2	P636309X02		
628	R61 F14 514	G	Packing		2	2	2	2	P321009X01		
629	R61 6A7 243	W	Solenoid valve coil	<SV4a~SV4d,SV5a,SV5b>	6	6	6	6	P472010X01		
630	R63 6A7 235	G	Solenoid valve ACS		6	6	6	6	P631285X01		
631	R63 6A7 232	G	Solenoid valve assy		1	1	1	1	W654369G02		
632	R63 7A7 232	G	Solenoid valve assy		1	1	1	1	W658302G03		
633	R63 6A7 418	G	Check valve assy		1	1	1	1	W276816G01		
634	R63 7A7 418	G	Check valve assy		1	1	1	1	W276812G01		
635	R63 6A7 245	G	SV socket wrench		1	1	1	1	W909209G01		
636	R61 Y04 490	W	Accessory (Adapter)		1	1	1	1	W915733G01		

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P234TGMU-A	-P168TGMU-A-BS	-P192TGMU-A-BS	-P204TGMU-A-BS	Dwg. No.	Price	Revision History
601	R63 Y05 110	G	Accumulator assy		1	1	1	1	W274189G05		
602	R63 Y11 208	G	Pressure switch	ACB1UB28W <63H1,2>	2	2	2	2	P426320X01		
603	R63 R34 288	G	Pressure sensor R410A	<63HS>	1	1	1	1	P418015X01		
604	R63 R37 288	G	Pressure sensor R410A	<63LS>	1	1	1	1	P418014X01		
605	R63 Y03 530	G	Oil tank		1	1	1	1	W655257G07		
606	R63 R44 487	G	Oil separator assy 1	<O/S1>	1	1	1	1	W656073G02		
607	R63 R43 487	G	Oil separator assy 2	<O/S2>	1	1	1	1	W656074G01		
608	R63 R55 425	G	Capillary tube assy		2	2	2	2	W905191G02		
609	R63 911 202	G	Thermistor	<TH11,12>	2	2	2	2	P425416X02		
610	R63 670 202	G	Thermistor NTH3A14	<TH5~7>	3	3	3	3	P425496X01		
611	R61 003 154		Four way valve	R410A	2	2	2	2	KB00F029G05		
612	R61 001 242		Solenoid valve coil	<21S4a,21S4b>	2	2	2	2	W875295G07		
613	R61 A45 287	G	Sensor cover	EVA(12.7D)	1	1	1	1	P227171X01		
614	R63 R34 413	G	Check joint L R410A	VCSH2S-LM	3	3	3	3	P666001X01		
615	R63 R43 418	G	Check valve BCV-1005DY	R410A 4.15MPa CV3.5	3	3	3	3	P639165X01		
616	R61 008 243		Solenoid valve coil	<SV1~SV3>	3	3	3	3	W875295G10		D
617	R61 021 232		Solenoid valve		3	3	3	3	KB00H253G01		D
618	R61 Y10 236	W	Crank case heater 20	<CH11,12>	2	2	2	2	P497020X01		
619	R11 707 890	W	Fusible plug		1	1	1	1	P649019X01		
620	R63 Y14 494	G	Pipe assy		1	1	1	1	W659300G03		
621	R63 9F2 441	G	Pipe assy	ID22.2		1	1		W663334G02		
622	R63 9F2 442	G	Pipe assy	ID28.6	2	1	1	2	W663334G04		
623	R69 A41 478	W	Scroll compressor	HNB71FA-JU <MC1>	1	1	1	1	EP10092G12		
624	R69 A40 478	W	Scroll compressor	HN71TA-JU <MC2>	1	1	1	1	EP10093G05		
625	R63 R37 580	G	Insulation cover	Body	2	2	2	2	W654314G02		
626	R63 R55 580	G	Insulation cover	Head	2	2	2	2	W903526G02		
627	R63 R40 410	G	Ball valve VSMBH-8	R410A	2	2	2	2	P636309X02		
628	R61 F14 514	G	Packing		2	2	2	2	P321009X01		
629	R61 6A7 243	W	Solenoid valve coil	<SV4a~SV4d,SV5a,SV5b>	6	6	6	6	P472010X01		
630	R63 6A7 235	G	Solenoid valve ACS		6	6	6	6	P631285X01		
631	R63 6A7 232	G	Solenoid valve assy		1	1	1	1	W654369G02		
632	R63 7A7 232	G	Solenoid valve assy		1	1	1	1	W658302G03		
633	R63 6A7 418	G	Check valve assy		1	1	1	1	W276816G01		
634	R63 7A7 418	G	Check valve assy		1	1	1	1	W276812G01		
635	R63 6A7 245	G	SV socket wrench		1	1	1	1	W909209G01		
636	R61 Y04 490	W	Accessory (Adapter)		1	1	1	1	W915733G01		

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P216TGMU-A-BS	-P234TGMU-A-BS			Dwg. No.	Price	Revision History
601	R63 Y05 110	G	Accumulator assy		1	1			W274189G05		
602	R63 Y11 208	G	Pressure switch	ACB1UB28W <63H1,2>	2	2			P426320X01		
603	R63 R34 288	G	Pressure sensor R410A	<63HS>	1	1			P418015X01		
604	R63 R37 288	G	Pressure sensor R410A	<63LS>	1	1			P418014X01		
605	R63 Y03 530	G	Oil tank		1	1			W655257G07		
606	R63 R44 487	G	Oil separator assy 1	<O/S1>	1	1			W656073G02		
607	R63 R43 487	G	Oil separator assy 2	<O/S2>	1	1			W656074G01		
608	R63 R55 425	G	Capillary tube assy		2	2			W905191G02		
609	R63 911 202	G	Thermistor	<TH11,12>	2	2			P425416X02		
610	R63 670 202	G	Thermistor NTH3A14	<TH5~7>	3	3			P425496X01		
611	R61 003 154		Four way valve	R410A	2	2			KB00F029G05		
612	R61 001 242		Solenoid valve coil	<21S4a,21S4b>	2	2			W875295G07		
613	R61 A45 287	G	Sensor cover	EVA(12.7D)	1	1			P227171X01		
614	R63 R34 413	G	Check joint L R410A	VCSH2S-LM	3	3			P666001X01		
615	R63 R43 418	G	Check valve BCV-1005DY	R410A 4.15MPa CV3.5	3	3			P639165X01		
616	R61 008 243		Solenoid valve coil	<SV1~SV3>	3	3			W875295G10		D
617	R61 021 232		Solenoid valve		3	3			KB00H253G01		D
618	R61 Y10 236	W	Crank case heater 20	<CH11,12>	2	2			P497020X01		
619	R11 707 890	W	Fusible plug		1	1			P649019X01		
620	R63 Y14 494	G	Pipe assy		1	1			W659300G03		
621	R63 9F2 441	G	Pipe assy	ID22.2					W663334G02		
622	R63 9F2 442	G	Pipe assy	ID28.6	2	2			W663334G04		
623	R69 A41 478	W	Scroll compressor	HNB71FA-JU <MC1>	1	1			EP10092G12		
624	R69 A40 478	W	Scroll compressor	HN71TA-JU <MC2>	1	1			EP10093G05		
625	R63 R37 580	G	Insulation cover	Body	2	2			W654314G02		
626	R63 R55 580	G	Insulation cover	Head	2	2			W903526G02		
627	R63 R40 410	G	Ball valve VSMBH-8	R410A	2	2			P636309X02		
628	R61 F14 514	G	Packing		2	2			P321009X01		
629	R61 6A7 243	W	Solenoid valve coil	<SV4a~SV4d,SV5a,SV5b>	6	6			P472010X01		
630	R63 6A7 235	G	Solenoid valve ACS		6	6			P631285X01		
631	R63 6A7 232	G	Solenoid valve assy		1	1			W654369G02		
632	R63 7A7 232	G	Solenoid valve assy		1	1			W658302G03		
633	R63 6A7 418	G	Check valve assy		1	1			W276816G01		
634	R63 7A7 418	G	Check valve assy		1	1			W276812G01		
635	R63 6A7 245	G	SV socket wrench		1	1			W909209G01		
636	R61 Y04 490	W	Accessory (Adapter)		1	1			W915733G01		

CONTROL BOX PARTS (1)



No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P72TGMU-A	-P96TGMU-A	-P108TGMU-A	-P126TGMU-A	Dwg. No.	Price	Revision History
701	R61 R34 249		IPM (Power module)	75A 600V	1	1	1		W848413G18		
702	R61 6F4 280		Fan INV board		1	1	1	1	W652171G03		
703	R61 N96 282		G/A board		1	1	1	1	W652112G01		
704	R61 S84 280		INV board		1	1	1	1	W647875G03		
705	R61 6A7 280		Main board		1	1	1	1	W647876G09		
706	R63 R34 252	G	Capacitor	400V 3300μF <C1>	1	1	1	1	P412293X01		
707	R61 Y28 252	W	Capacitor assy	<ZNR4>	1	1	1	1	W849452G03		
708	R63 F14 201	G	Thermistor	<THHS1>	1	1	1	1	P414095X01		
709	R63 N79 289	G	AC current sensor	CHJ038CP2B <ACCT>	1	1	1	1	P418002X01		
710	R63 A42 289	G	DC current sensor	<DCCT>	1	1	1	1	P419079X02		
711	R61 L73 320		Diode	800V 75A <DS>	1	1	1		W876941G01		
712	R61 008 246	G	Terminal block	<TB3>	1	1	1	1	BA73S950H02		
713	R63 979 247	G	Terminal block	<TB7>	1	1	1	1	P436110X01		
714	R61 N18 246	W	Terminal block	<TB1>	1	1	1		S436005H01		
715	R63 670 234	G	Resistor	<R1>	1	1	1	1	P411113X01		
716	R61 Y27 260	W	Transformer	208-230V/20.8V	1	1	1	1	P715393X01		
717	R11 970 962	W	Noise filter	AC250V 60A <NF>	1	1	1		P417014X01		
718	R63 Y02 300	G	Fan	AC230V <MF1>	1	1	1		P712360X01		
719	R61 R34 259	W	Reactor	35A 0.82mH <DCL>	1				P715423X01		
720	R63 R40 259	G	Choke coil	2A 10mH <L1,L2>	2	2	2	2	P715392X01		
721	R61 R34 215	W	Relay	<52C>	1	1	1	1	S421003H22		
722	R61 005 259	W	Reactor	65A 0.5mH <DCL>		1	1		P715424X01		
723	R11 001 944	W	Reactor	71.5A 0.37mH <DCL>				1	P715425X01		
724	R63 A42 234	G	Resistor	<R2>	1	1	1	1	W237975K23		
725	R61 G35 249		IPM (Power module)	150A 600V				1	W848413G12		
726	R61 850 318		Diode	800V 100A <DS>				1	W876941G07		
727	R61 N22 246	W	Terminal block	<TB1>				1	S436005H02		
728	R61 Y04 300	W	Fan	AC230V <MF1>				1	P712398X01		
729	R61 R55 293	W	Noise filter	AC250V 75A <NF>				1	P417008X01		

CONTROL BOX PARTS (1)

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P144TGMU-A	-P72TGMU-A-BS	-P96TGMU-A-BS	-P108TGMU-A-BS	Dwg. No.	Price	Revision History
701	R61 R34 249		IPM (Power module)	75A 600V		I	I	I			
702	R61 6F4 280		Fan INV board		1	1	1	1	W652171G03		
703	R61 N96 282		G/A board		1	1	1	1	W652112G01		
704	R61 S84 280		INV board		1	1	1	1	W647875G03		
705	R61 6A7 280		Main board		1	1	1	1	W647876G09		
706	R63 R34 252	G	Capacitor	400V 3300μF <C1>	1	1	1	1	P412293X01		
707	R61 Y28 252	W	Capacitor assy	<ZNR4>	1	1	1	1	W849452G03		
708	R63 F14 201	G	Thermistor	<THHS1>	1	1	1	1	P414095X01		
709	R63 N79 289	G	AC current sensor	CHJ038CP2B <ACCT>	1	1	1	1	P418002X01		
710	R63 A42 289	G	DC current sensor	<DCCT>	1	1	1	1	P419079X02		
711	R61 L73 320		Diode	800V 75A <DS>	1	1	1		W876941G01		
712	R61 008 246	G	Terminal block	<TB3>	1	1	1	1	BA73S950H02		
713	R63 979 247	G	Terminal block	<TB7>	1	1	1	1	P436110X01		
714	R61 N18 246	W	Terminal block	<TB1>	1	1	1		S436005H01		
715	R63 670 234	G	Resistor	<R1>	1	1	1	1	P411113X01		
716	R61 Y27 260	W	Transformer	208-230V/20.8V	1	1	1	1	P715393X01		
717	R11 970 962	W	Noise filter	AC250V 60A <NF>	1	1	1		P417014X01		
718	R63 Y02 300	G	Fan	AC230V <MF1>	1	1	1		P712360X01		
719	R61 R34 259	W	Reactor	35A 0.82mH <DCL>	1				P715423X01		
720	R63 R40 259	G	Choke coil	2A 10mH <L1,L2>	2	2	2	2	P715392X01		
721	R61 R34 215	W	Relay	<52C>	1	1	1	1	S421003H22		
722	R61 005 259	W	Reactor	65A 0.5mH <DCL>		1	1		P715424X01		
723	R11 001 944	W	Reactor	71.5A 0.37mH <DCL>				1	P715425X01		
724	R63 A42 234	G	Resistor	<R2>	1	1	1	1	W237975K23		
725	R61 G35 249		IPM (Power module)	150A 600V	I						
726	R61 850 318		Diode	800V 100A <DS>				1	W876941G07		
727	R61 N22 246	W	Terminal block	<TB1>				1	S436005H02		
728	R61 Y04 300	W	Fan	AC230V <MF1>				1	P712398X01		
729	R61 R55 293	W	Noise filter	AC250V 75A <NF>				1	P417008X01		

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P126TGMU-A-BS	-P144TGMU-A-BS			Dwg. No.	Price	Revision History
701	R61 R34 249		IPM (Power module)	75A 600V					W848413G18		
702	R61 6F4 280		Fan INV board		1	1			W652171G03		
703	R61 N96 282		G/A board		1	1			W652112G01		
704	R61 S84 280		INV board		1	1			W647875G03		
705	R61 6A7 280		Main board		1	1			W647876G09		
706	R63 R34 252	G	Capacitor	400V 3300μF <C1>	1	1			P412293X01		
707	R61 Y28 252	W	Capacitor assy	<ZNR4>	1	1			W849452G03		
708	R63 F14 201	G	Thermistor	<THHS1>	1	1			P414095X01		
709	R63 N79 289	G	AC current sensor	CHJ038CP2B <ACCT>	1	1			P418002X01		
710	R63 A42 289	G	DC current sensor	<DCCT>	1	1			P419079X02		
711	R61 L73 320		Diode	800V 75A <DS>					W876941G01		
712	R61 008 246	G	Terminal block	<TB3>	1	1			BA73S950H02		
713	R63 979 247	G	Terminal block	<TB7>	1	1			P436110X01		
714	R61 N18 246	W	Terminal block	<TB1>					S436005H01		
715	R63 670 234	G	Resistor	<R1>	1	1			P411113X01		
716	R61 Y27 260	W	Transformer	208-230V/20.8V	1	1			P715393X01		
717	R11 970 962	W	Noise filter	AC250V 60A <NF>					P417014X01		
718	R63 Y02 300	G	Fan	AC230V <MF1>					P712360X01		
719	R61 R34 259	W	Reactor	35A 0.82mH <DCL>					P715423X01		
720	R63 R40 259	G	Choke coil	2A 10mH <L1,L2>	2	2			P715392X01		
721	R61 R34 215	W	Relay	<52C>	1	1			S421003H22		
722	R61 005 259	W	Reactor	65A 0.5mH <DCL>					P715424X01		
723	R11 001 944	W	Reactor	71.5A 0.37mH <DCL>	1	1			P715425X01		
724	R63 A42 234	G	Resistor	<R2>	1	1			W237975K23		
725	R61 G35 249		IPM (Power module)	150A 600V	1	1			W848413G12		
726	R61 850 318		Diode	800V 100A <DS>	1	1			W876941G07		
727	R61 N22 246	W	Terminal block	<TB1>	1	1			S436005H02		
728	R61 Y04 300	W	Fan	AC230V <MF1>	1	1			P712398X01		
729	R61 R55 293	W	Noise filter	AC250V 75A <NF>	1	1			P417008X01		

PURY-P168,P192TGMU-A(-BS)
PURY-P204,P216TGMU-A(-BS)
PURY-P234TGMU-A(-BS)

CONTROL BOX PARTS (2)



PURY-P168,P192TGMU-A(-BS)
PURY-P204,P216TGMU-A(-BS)
PURY-P234TGMU-A(-BS)

CONTROL BOX PARTS (2)

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P168TGMU-A	-P192TGMU-A	-P204TGMU-A	-P216TGMU-A	Dwg. No.	Price	Revision History
801	R61 G35 249		IPM (Power module)	150A 600V	1	1	1	1	W848413G12		
802	R63 Y60 280	G	Relay board		1	1	1	1	W629574G02		
803	R61 6F4 280		Fan INV board		1	1	1	1	W652171G03		
804	R61 N96 282		G/A board		1	1	1	1	W652112G01		
805	R61 S84 280		INV board		1	1	1	1	W647875G03		
806	R61 7A7 280		Main board		1	1	1	1	W647876G14		
807	R63 R34 252	G	Capacitor	400V 3300μF <C1>	1	1	1	1	P412293X01		
808	R61 Y28 252	W	Capacitor assy	<ZNR4>	1	1	1	1	W849452G03		
809	R61 Y41 225	W	Magnetic starter	PAK-35JUL <52C2>	1	1	1	1	S427020H29		
810	R63 F14 201	G	Thermistor	<THHS1>	1	1	1	1	P414095X01		
811	R63 N79 289	G	AC current sensor	CHJ038CP2B <ACCT>	1	1	1	1	P418002X01		
812	R63 A42 289	G	DC current sensor	<DCCT>	1	1	1	1	P419079X02		
813	R61 850 318		Diode	800V 100A <DS>	1	1	1	1	W876941G07		
814	R61 008 246	G	Terminal block	<TB3>	1	1	1	1	BA73S950H02		
815	R63 979 247	G	Terminal block	<TB7>	1	1	1	1	P436110X01		
816	R61 N22 246	W	Terminal block	<TB1>	1	1	1	1	S436005H02		
817	R63 670 234	G	Resistor	<R1>	1	1	1	1	P411113X01		
818	R61 Y42 225	W	Magnet contactor	PAK-11J <52F>	1	1	1	1	S427020H30		
819	R61 Y27 260	W	Transformer	208-230V/20.8A	1	1	1	1	P715393X01		
820	R61 R55 293	W	Noise filter	AC250V 75A <NF>	1	1	1	1	P417008X01		
821	R61 Y10 241	W	Fuse	660V 63A <F11,F12>	2	2	2	2	S423007H03		
822	R61 Y04 300	W	Fan	AC230V <MF3>	1	1	1	1	P712398X01		
823	R63 Y04 259	G	Reactor	71.5A 0.37mH <DCL>	1	1	1	1	P715381X01		
824	R63 R40 259	G	Choke coil	2A 10mH <L1,L2>	2	2	2	2	P715392X01		
825	R61 R34 215	W	Relay	<52C>	1	1	1	1	S421003H22		
826	R63 A42 234	G	Resistor	<R2>	1	1	1	1	W237975K23		
827	R61 Y09 215		TH.relay	<51C2>	1	1	1	1	S429002H43		
828	R61 S85 280		Relay board		1	1	1	1	W629574G04		

PURY-P168,P192TGMU-A(-BS)
PURY-P204,P216TGMU-A(-BS)
PURY-P234TGMU-A(-BS)

CONTROL BOX PARTS (2)

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P234TGMU-A	-P168TGMU-A-BS	-P192TGMU-A-BS	-P204TGMU-A-BS	Dwg. No.	Price	Revision History
801	R61 G35 249		IPM (Power module)	150A 600V	1	1	1	1	W848413G12		
802	R63 Y60 280	G	Relay board		1	1	1	1	W629574G02		
803	R61 6F4 280		Fan INV board		1	1	1	1	W652171G03		
804	R61 N96 282		G/A board		1	1	1	1	W652112G01		
805	R61 S84 280		INV board		1	1	1	1	W647875G03		
806	R61 7A7 280		Main board		1	1	1	1	W647876G14		
807	R63 R34 252	G	Capacitor	400V 3300μF <C1>	1	1	1	1	P412293X01		
808	R61 Y28 252	W	Capacitor assy	<ZNR4>	1	1	1	1	W849452G03		
809	R61 Y41 225	W	Magnetic starter	PAK-35JUL <52C2>	1	1	1	1	S427020H29		
810	R63 F14 201	G	Thermistor	<THHS1>	1	1	1	1	P414095X01		
811	R63 N79 289	G	AC current sensor	CHJ038CP2B <ACCT>	1	1	1	1	P418002X01		
812	R63 A42 289	G	DC current sensor	<DCCT>	1	1	1	1	P419079X02		
813	R61 850 318		Diode	800V 100A <DS>	1	1	1	1	W876941G07		
814	R61 008 246	G	Terminal block	<TB3>	1	1	1	1	BA73S950H02		
815	R63 979 247	G	Terminal block	<TB7>	1	1	1	1	P436110X01		
816	R61 N22 246	W	Terminal block	<TB1>	1	1	1	1	S436005H02		
817	R63 670 234	G	Resistor	<R1>	1	1	1	1	P411113X01		
818	R61 Y42 225	W	Magnet contactor	PAK-11J <52F>	1	1	1	1	S427020H30		
819	R61 Y27 260	W	Transformer	208-230V/20.8A	1	1	1	1	P715393X01		
820	R61 R55 293	W	Noise filter	AC250V 75A <NF>	1	1	1	1	P417008X01		
821	R61 Y10 241	W	Fuse	660V 63A <F11,F12>	2	2	2	2	S423007H03		
822	R61 Y04 300	W	Fan	AC230V <MF3>	1	1	1	1	P712398X01		
823	R63 Y04 259	G	Reactor	71.5A 0.37mH <DCL>	1	1	1	1	P715381X01		
824	R63 R40 259	G	Choke coil	2A 10mH <L1,L2>	2	2	2	2	P715392X01		
825	R61 R34 215	W	Relay	<52C>	1	1	1	1	S421003H22		
826	R63 A42 234	G	Resistor	<R2>	1	1	1	1	W237975K23		
827	R61 Y09 215		TH.relay	<51C2>	1	1	1	1	S429002H43		
828	R61 S85 280		Relay board		1	1	1	1	W629574G04		

PURY-P168,P192TGMU-A(-BS)
PURY-P204,P216TGMU-A(-BS)
PURY-P234TGMU-A(-BS)

CONTROL BOX PARTS (2)

No.	Part No.	G : RoHS Apply Only W : RoHS Apply by Running Change	Part Name	Spec.	-P216TGMU-A-BS	-P234TGMU-A-BS			Dwg. No.	Price	Revision History
801	R61 G35 249		IPM (Power module)	150A 600V	1	1			W848413G12		
802	R63 Y60 280	G	Relay board		1	1			W629574G02		
803	R61 6F4 280		Fan INV board		1	1			W652171G03		
804	R61 N96 282		G/A board		1	1			W652112G01		
805	R61 S84 280		INV board		1	1			W647875G03		
806	R61 7A7 280		Main board		1	1			W647876G14		
807	R63 R34 252	G	Capacitor	400V 3300μF <C1>	1	1			P412293X01		
808	R61 Y28 252	W	Capacitor assy	<ZNR4>	1	1			W849452G03		
809	R61 Y41 225	W	Magnetic starter	PAK-35JUL <52C2>	1	1			S427020H29		
810	R63 F14 201	G	Thermistor	<THHS1>	1	1			P414095X01		
811	R63 N79 289	G	AC current sensor	CHJ038CP2B <ACCT>	1	1			P418002X01		
812	R63 A42 289	G	DC current sensor	<DCCT>	1	1			P419079X02		
813	R61 850 318		Diode	800V 100A <DS>	1	1			W876941G07		
814	R61 008 246	G	Terminal block	<TB3>	1	1			BA73S950H02		
815	R63 979 247	G	Terminal block	<TB7>	1	1			P436110X01		
816	R61 N22 246	W	Terminal block	<TB1>	1	1			S436005H02		
817	R63 670 234	G	Resistor	<R1>	1	1			P411113X01		
818	R61 Y42 225	W	Magnet contactor	PAK-11J <52F>	1	1			S427020H30		
819	R61 Y27 260	W	Transformer	208-230V/20.8A	1	1			P715393X01		
820	R61 R55 293	W	Noise filter	AC250V 75A <NF>	1	1			P417008X01		
821	R61 Y10 241	W	Fuse	660V 63A <F11,F12>	2	2			S423007H03		
822	R61 Y04 300	W	Fan	AC230V <MF3>	1	1			P712398X01		
823	R63 Y04 259	G	Reactor	71.5A 0.37mH <DCL>	1	1			P715381X01		
824	R63 R40 259	G	Choke coil	2A 10mH <L1,L2>	2	2			P715392X01		
825	R61 R34 215	W	Relay	<52C>	1	1			S421003H22		
826	R63 A42 234	G	Resistor	<R2>	1	1			W237975K23		
827	R61 Y09 215		TH.relay	<51C2>	1	1			S429002H43		
828	R61 S85 280		Relay board		1	1			W629574G04		

MITSUBISHI ELECTRIC CORPORATION
HEAD OFFICE: TOKYO BLDG., 2-7-3, MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN

BWE0505D (20070531)