

Model: TSSU-72-30MB-ST-I

Part #	Category
200346	PAN
200494	SHELVING
200934	NAMEPLATE
203207	COIL
205014	GASKET
205571	LID
206048	BRACKET
206050	BRACKET
206051	BRACKET
206052	SHROUD
206113	PULLOUT
208870	HEATER
208871-027	RAIL ASSEMBLY
208880-040	SHELVING
209872	COIL
209984	BRACKET
209988-040	SHELVING
209989-040	SHELVING
209990-040	SHELVING
210406	AIR DEFLECTOR
210407	AIR DEFLECTOR
210602	CRUMB CATCHER
211895	MOTOR
212096	SPRING
212175	SHELVING
212176	COVER
212266	SHELVING
212267	SHELVING
213126	START/RUN COMPONENT
213240	CUTTING BOARD
213440	EVAPORATOR DRAIN TROUGH
213441	LINE SET
213442	COVER
213443	COMPRESSOR
215740	COUNTERTOP
215881	KIT
216165	LID

216166	LID
216880	REFRIGERANT
217463	HEATER
222737	CONTROL
224187	RIVNUT TOOL
224930	CUTTING BOARD
224934	CUTTING BOARD
224939	CUTTING BOARD
224940	CUTTING BOARD
226302	SUPPORT
227295	CUTTING BOARD
227296	CUTTING BOARD
800321	THERMOMETER
801766	CORD
805143	CONNECTOR
806450	VALVE
807408	CONTROL
807409	CONTROL
807781	CUTTING BOARD
807786	CUTTING BOARD
808097	CABLE
808466	BUMPER
808803	BRACKET
808804	LOCK
809028	DOOR AND DOOR PARTS
809030	DOOR AND DOOR PARTS
809040	DOOR AND DOOR PARTS
809102	CUTTING BOARD
809739	BRACKET

809952	COVER
809961	BRACKET
809962	BRACKET
809968	CRUMB CATCHER
810292	PAN
810320	PAN
810323	PAN
810339	PAN
810340	PAN
810350	PAN
810841	CUTTING BOARD
810869	CUTTING BOARD
811111	PAN
811282	PAN
812024	PAN
812351	CUTTING BOARD
814372	COUNTERTOP
814392	BRACKET
814393	BRACKET
814397	SUPPORT
815172	BRACKET
815719	LOCK
815725	LOCK
815726	LOCK
815727	LOCK
815771	EVAPORATOR PARTS
817838	KEY
817846	KEY
818071	CLEANER
819633	OVERSHELF
820608	CUTTING BOARD
820679	COMPRESSOR
820680	OVERLOAD
822937	THERMOMETER
823089	HINGE

830037	MOTOR
830221	CASTOR
830222	CASTOR
830224	CASTOR
830225	CASTOR
830254	CASTOR
830255	CASTOR
830277	CASTOR
830280	CASTOR
830282	CASTOR
830286	CASTOR
830287	CASTOR
830340	CLIP
830352	SHELVING
830416	PLATE
830601	WASHER
830631	WASHER
830740	CONTROL
831506	BOLT
832136	HINGE
832199	HINGE
832996	AIR VENT
835383	COUNTERTOP
836834	CONTROL
839708	HINGE
851110	CAPILLARY TUBE
863801	BRACKET
870338	LID
870340	LID
870349	HOOD
870372	HOOD
870837	HINGE

870838	HINGE
870841	HINGE
870842	HINGE
873490	CRATING
874620	CRUMB CATCHER
874642	RIVNUT TOOL
874659	BRACKET
876447	CRATING
880162	GASKET
881540	BRACKET
882671	HOSE
883720	CASTOR
884893	COUNTERTOP
891336	SHIM
892843	BRACKET
893892	CUTTING BOARD
905308	DIVIDER
912145	SHELVING
914980	SHELVING
914985	SHELVING
915019	SHELVING
915020	SHELVING
915021	SHELVING
915022	SHELVING
915174	CUTTING BOARD
915175	CUTTING BOARD
915176	CUTTING BOARD
915177	CUTTING BOARD
918306	SHELVING

918694	CHROMOTOGRAPHY
918695	CHROMOTOGRAPHY
920059	LID
920059-FI	LID
920158	SHELVING
920394	SNEEZE GUARD
920400	BRACKET
921211	BUMPER
921281	SHELVING
921307	CAP
925282	DIVIDER
925453	DIVIDER
925928	DRIER
926551	CUTTING BOARD KEY-HOLE
932588	GASKET
934998	START/RUN COMPONENT
934999	WIRE HARNESS
936192	DOOR AND DOOR PARTS
936193	DOOR AND DOOR PARTS
936200	DOOR AND DOOR PARTS
936238	DOOR AND DOOR PARTS
936614	GASKET
945052	CONTROL
945053	CONTROL
946849	BLADE
947656	CONTROL
948365	START/RUN COMPONENT
949822	COUNTERTOP
955235	HANDLE

955265	HANDLE
956901	PROCESS TUBE
957561	LID PARTS
966069	DRAIN PIPE
967195	CONTROL
969292	REFRIGERANT
971654	START/RUN COMPONENT
977407	SIGN
979685	MOTOR
980207	THERMOMETER
980207-FI	THERMOMETER
982582	CUTTING BOARD
984779	CIRCUIT BREAKER
985040	COMPRESSOR
988737	LID
990728	BRACKET
991973	CAP
991974	CAP
994150	MOTOR
994872	ELBOW
995655	CONNECTOR
996605	SCREW
996771	HANDLE
997758	CONTROL
997807	START/RUN COMPONENT
998244-040	SHELVING
998246	SHELVING
998247-040	SHELVING
998249	SHELVING

998751	HANDLE
999352	SHELVING
999992	BUMPER

HC

Description
PAN, DRAIN CONDENSER, BLACK PLASTIC
BRACKET KIT, SHELF STANDARD, MOLDED PLASTIC
NAMEPLATE, TRUE REFRIGERATOR
COIL, CONDENSER R290
GASKET, DOOR, MAGNETIC, CENTER (WIDE)
HYDRAULIC ONLY, GLASS LIFT COVER, VIELER
BRACKET, DRAIN PAN, CONDENSATE
BRACKET, FAN MOTOR MOUNT KIT, CONDENSER
BRACKET, CONDENSER FAN KIT
SHROUD, CONDENSER KIT
PULLOUT ASSEMBLY, R290, 115V
HEATER WIRE, PERIMETER AND MULLION
RAIL ASSEMBLY, BLACK
SHELF, CENTER, GRAY BOTTOM
COIL, EVAPORATOR
SUPPORT, FALSE BOTTOM, CLEAR ALUMINUM
SHELF, LEFT, GRAY UPPER
SHELF, RIGHT, GRAY
SHELF, CENTER, GRAY
DUCT, AIR FRONT, R290
DUCT, LEFT/RIGHT, CLEAR, R290
CRUMB CATCHER, STAINLESS
MOTOR, CONDENSER FAN, 115V
SPRING, TORSION, LIFT COVER (FLAT GLASS LID)
SHELF STANDARD KIT, 10"
COVER, BACK ASSEMBLY, GALVANIZED
STANDARD, SHELF, REAR, LOWER, CLEAR
STANDARD, SHELF, REAR, FAN AREA, CLEAR
KIT, START COMPONET, TPA9421YXA TP119AR-021-F4KX
CUTTING BOARD, WHITE, GLASS LID, DRILLED
DRAIN, EVAPORATOR ASSEMBLY, 115V, R290
LINE SET, SUCTION/CAP TUBE, 115V, R290
COVER, EVAPORATOR ASSEMBLY, 115V, R290
CONDENSING UNIT, 115V, R290, FFU160UAX
COUNTERTOP ASSEMBLY, FOR FLAT GLASS LID
WICK KIT, LARGE
LID ASSEMBLY, STAINLESS STEEL FLAT LID, 18 PAN

LID ASSEMBLY, STAINLESS STEEL FLAT LID, 12 PAN
REFRIGERANT, R290 PROPANE CYLINDER, SET OF 12, OBSOLETE
DRAIN PAN KIT, HEATED, 115V
CONTROL, TEMPERATURE, ELECTRONIC, FIELD REPLACEMENT, 115V
RIVNUT TOOL KIT, CUTTING BOARD BRACKET, 8-32
CUTTING BOARD, 8-7/8"D, COMPOSITE, WOOD TONE. OPTION
CUTTING BOARD, 6 1/8", WHITE, GLASS LID
CUTTING BOARD, 11-3/4"D, STANDARD LID, WHITE
CUTTING BOARD, 8-7/8"D, WHITE
SUPPORT, FALSE BOTTOM, CLEAR ALUMINUM
CUTTING BOARD, 10"D, WHITE, DRILLED
CUTTING BOARD, 10"D, WHITE, UNDRILLED
THERMOMETER, TUBE TYPE, FAHRENHEIT/CELSIUS, INTERIOR HANGING
CORD, POWER, MAIN, 115V, 132"
LEVER CONNECTOR KIT
ACCESS VALVE
PROBE, ELECTRONIC TEMPERATURE CONTROL DEFROST SENSOR
PROBE, THERMIST, ELECTRONIC TEMPERATURE CONTROL SENSOR
CUTTING BOARD, 11 3/4", COMPOSITE WOOD
CUTTING BOARD, 8 7/8", RED
CABLE, DISPLAY, 4000MM, DANFOSS ERC
CONTROL BUMPER KIT
BRACKET KIT, CUTTING BOARD
LOCK KIT, BOLT STYLE, DOOR / DRAWER, REPLACEMENT ONLY
DOOR, RIGHT HINGED, NEW STYLE CENTER LOCK OPTION
DOOR, LEFT HINGED, NEW STYLE CENTER LOCK OPTION
DOOR, LEFT HINGED, NEW STOCK LOCK OPTION
CUTTING BOARD, 14", WHITE HDPE, WALMART
BRACKET, CUTTING BOARD BRACKET KIT, 6 1/8"

COVER, BACK ASSEMBLY, STAINLESS STEEL
BRACKET KIT, CUTTING BOARD, 11 3/4"
BRACKET KIT, CUTTING BOARD, 8 7/8"
CRUMB CATCHER KIT
PAN, FOOD STORAGE, 1/6 SIZE, (STANDARD) TRUE
PAN, FOOD STORAGE, 1/6 SIZE, RUBBERMAID
PAN, FOOD STORAGE, 1/3 SIZE, TRUE
PAN, FOOD STORAGE, 1/6 SIZE, CAMBRO
PAN, FOOD STORAGE, 1/9 SIZE
PAN, FOOD STORAGE, FULL SIZE, 8" DEEP
CUTTING BOARD, 8-7/8"D, WHITE, STANDARD
CUTTING BOARD, 8-7/8", CRUMB CATCHER, WHITE
PAN, FOOD STORAGE, FULL SIZE, 6" DEEP
PAN, FOOD STORAGE, FULL SIZE, 4" DEEP
RACK, DRAIN PAN
CUTTING BOARD, 8-7/8", CRUMB CATCHER, COMPOSITE WOOD TONE
COUNTERTOP ASSEMBLY, 115V
BRACKET KIT, CUTTING BOARD, 19"
BRACKET KIT, CUTTING BOARD, 11 3/4, W/OVERHANG
FALSE BTM SUPPORT KIT TSSU-72
BRACKET KIT, 10" CUTTING BOARD
LOCK KIT, CHROME
LOCK KIT, BLACK CORE/CHROME LOCK BAR
LOCK KIT, BLACK CORE/BLACK LOCK BAR
LOCK KIT, BLACK CORE & HOUSING/CHROME LOCK BAR. EQUIPMENT ONLY
EVAPORATOR MOTOR MOUNT/VENT KIT
KEY, T-42, REMOVABLE CORE LOCK, SET OF 2
KEY, T-42A, REMOVE CORE FROM HOUSING
STAINLESS STEEL POLISH KIT, 16 OZ
OVERSHELF KIT, SINGLE, MOD PIZZA
CUTTING BOARD, 8-7/8"D, COMPOSITE, WOOD TONE. OPTION
COMPRESSOR, FFU160UAX 115V/60HZ, R290
OVERLOAD, FFU160UAX 115V/60HZ, R290
DISPLAY, TEMPERATURE CONTROL/THERMOMETER
SPRING, HINGE, DOOR, CARTRIDGE SPRING WITH 90 DEGREE STAY OPEN FEATURE

FAN MOTOR KIT
CASTOR, ONE ONLY, 5", 1/2" STEM, W/ BRAKE
CASTOR, ONE ONLY, 5", 1/2" STEM, W/O BRAKE
CASTOR, ONE ONLY, 4", 1/2" STEM, W/O BRAKE
CASTOR, ONE ONLY, 4", 1/2" STEM, W/BRAKE
CASTOR, ONE ONLY, 2-1/2", 1/2" STEM, W/O BRAKE
CASTOR, ONE ONLY, 2-1/2", 1/2" STEM, W/BRAKE
CASTOR, SET/4, 4", 1/2" STEM
CASTOR, SET/4, 2-1/2" 1/2" STEM
CASTOR, SET/4, 5", 1/2" STEM
CASTOR, ONE ONLY, 3", 1/2" STEM WITHOUT BRAKE
CASTOR, ONE ONLY, 3", 1/2" STEM W/BRAKE
CLIP/BUTTON, HANGING THERMOMETER
SUPPORT BAR KIT, DOUBLE OVERSHELF, 1 BAR
CASTOR OR LEG MOUNTING PLATE
WASHER, SKID
WASHER, SKID
CONTROL KIT, TEMPERATURE/DISPLAY
BOLT, SKID MOUNTING
SPRING, HINGE, DOOR, CARTRIDGE SPRING WITH 90 DEGREE STAY OPEN FEATURE
WASHER/SPACER-HINGE FOR CARTRIDGE SPRING HINGE
FALSE BOTTOM, CLEAR ALUMINUM
COUNTERTOP SILICONE KIT
CONTROL KIT, TEMPERATURE, ERC113D
HINGE DRILLING KIT, DOOR, REVERSABLE
CAPILLARY TUBE, R290
BRACKET, LID HANGER
LID ASSEMBLY, STAINLESS STEEL, 12-PAN MEGA
LID, STAINLESS STEEL, 18-PAN MEGA
HOOD ASSEMBLY , STATIONARY PART
HOOD, STATIONARY PART, 12-PAN MEGA, NSF-7 1998
HINGE KIT, DOOR, TOP, RIGHT, CARTRIDGE SPRING WITH 90 DEGREE STAY OPEN FEATURE

HINGE KIT, DOOR, TOP, LEFT, CARTRIDGE SPRING WITH 90 DEGREE STAY OPEN FEATURE
HINGE KIT, DOOR, BOTTOM, LEFT
HINGE KIT, DOOR, BOTTOM, RIGHT
CRATE KIT
CRUMB CATCHER
RIVNUT TOOL, KIT, SHELF STANDARD, CUTTING BOARD BRACKET, KEY HOLE, HOOD, CRUMB CATCHER, UTILITY SHELF, OUTER EVAPORATOR COVER
BRACKET KIT, CUTTING BOARD, 6"L, OPTION
SKID KIT
KIT, DOOR GASKET BASE (STAINLESS)
BRACKET KIT, CUTTING BOARD, 6"L, W/ RIVNUT TOOL. OPTION
HOSE, EVAPORATOR DRAIN
CASTOR, SET/4, 3", KIT, 1/2" STEM, FOR ADA COMPLIANT HEIGHT REQUIREMENTS
COUNTERTOP ASSY, 12/18-PAN CONFIGURATION, 115V/208V
SHIM, CASTOR
BRACKET, DRAIN TUBE
CUTTING BOARD, 11-3/4"D, WHITE, DRILLED FOR REGULAR LID. OPTION
DIVIDER, PAN, METAL, 12 13/16" X 7/8", CENTER SECTIONS RIGHT TO LEFT, FOR PANERA BREAD
CLIP KIT, SHELF (SET/24)
OVERSHELF KIT, SINGLE
OVERSHELF KIT, DOUBLE
BAR, SUPPORT KIT, SINGLE OVERSHELF 1 BAR
BAR, SUPPORT KIT, DOUBLE OVERSHELF 2 BARS
BAR, SUPPORT KIT, SINGLE OVERSHELF 2 BARS
BAR, SUPPORT KIT, DOUBLE OVERSHELF 1 BAR
CUTTING BOARD, 8-7/8"D, WHITE, DRILLED
CUTTING BOARD, 8-7/8", CRUMB CATCHER, WHITE, DRILLED
CUTTING BOARD, 8-7/8", CRUMB CATCHER, COMPOSITE WOOD TONE. DRILLED
CUTTING BOARD, 8-7/8"D, COMPOSITE, WOOD TONE. OPTION. DRILLED
CLIP KIT, SHELF (SET/8)

ALARM, TEMPERATURE, CHROMOTOGRAPHY, CELCIUS DIGITAL DISPLAY, 115V/208V/220V/CE
ALARM, TEMPERATURE, CHROMOTOGRAPHY, FARENHEIT DIGITAL DISPLAY, 115V/208V/220V/CE
LID KIT COMPLETE, 2 STAINLESS STEEL FLAT LIDS AND BRACKETS. 12/18 PAN MEGA
LID KIT COMPLETE, STAINLESS STEEL FLAT LID AND BRACKETS. 12/18 PAN MEGA
CLIP KIT, SHELF (SET/4)
SNEEZE GUARD, KIT, MEGA
BRACKET, SNEEZE GUARD, MEGA, SET/3
BUMPER, REAR SPACER
BACKSTOP KIT, OVERSHELF
CAP KIT, CABINET BACK, ALUMINUM
PAN DIVIDER, METAL, FOR TRUE PANS, MEGA TOPS
PAN DIVIDER, METAL, FOR CAMBRO PANS, MEGA TOPS
DRIER, COMPRESSOR
CUTTING BOARD KEY-HOLE, PIN
GASKET, DOOR, MAGNETIC (WIDE) RIGHT AND LEFT
BRACKET, START CAPACITOR
WIRE HARNESS, 115V, START COMPONENTS TO COMPRESSOR POWER CORD. R-290
DOOR, RIGHT HINGED, STAINLESS, RECESSED HANDLE. WIDE DOOR GASKET (STANDARD)
DOOR, LEFT HINGED, STAINLESS, RECESSED HANDLE, WIDE DOOR GASKET (STANDARD)
DOOR, CENTER LEFT HINGED, STAINLESS, RECESSED HANDLE. WIDE DOOR GASKET
DOOR, CENTER RIGHT HINGED, STAINLESS, RECESSED HANDLE. WIDE DOOR GASKET
KIT, DOOR GASKET BASE (PLASTIC & STAINLESS)
PROBE, ELECTRONIC TEMPERATURE CONTROL, DEFROST SENSOR. 115V
PROBE, ELECTRONIC TEMPERATURE CONTROL, TEMPERATURE SENSOR
BLADE, FAN MOTOR, EVAPORATOR
KNOB, TEMPERATURE CONTROL
TERMINAL BOARD,
COUNTERTOP WITH CUTOUT FOR EXTERIOR THERMOMETER. 115/208V
HANDLE KIT, (ONE RECESSED HANDLE) BLACK, FOR FIELD REPLACEMENT

HANDLE KIT, (THREE RECESSED HANDLES) BLACK, FIELD REPLACEMENT
INDICATOR SLEEVE, HC R-290 115V
PIN KIT, LID HINGE GUIDE, REGULAR DOMED LIDS
DRAIN TRAP, BLACK PE HIGH DENSITY
CONTROL, TEMPERATURE, ELECTRONIC 115V
REFRIGERANT, R290 PROPANE CYLINDER
KIT, START COMPONENT 115V, HC-290
SIGN, "DANGER PROPANE"
MOTOR, CONDENSER FAN, 115V
THERMOMETER, DIGITAL DISPLAY, FAHRENHEIT/CELCIUS, LED, 115V OBLONG "RECTANGULAR" SHAPED EXTERIOR
THERMOMETER, DIGITAL, FAHRENHEIT/CELCIUS, LED, 115V OBLONG "RECTANGULAR" SHAPED EXTERIOR
CUTTING BOARD, WHITE, GLASS LID
BREAKER, CIRCUIT
COMPRESSOR, FFU160UAX 115V/60HZ, R290
LID, GLASS LIFT COVER REPLACEMENT ONLY
BRACKET, EVAPORATOR FAN MOTOR, STAINLESS
CAP, CABINET END, RIGHT, STAINLESS
CAP, CABINET END, LEFT, STAINLESS
MOTOR, EVAPORATOR 115V
DRAIN ELBOW (STRAIGHT)
CONNECTOR, CAGE CLAMP W/ LEVER 3-HOLE
SCREW, DOOR HANDLE, LID HANDLE
HANDLE, LID, CHROME PLATED METAL
CONTROL, TEMPERATURE ELECTRONIC
BRACKET, CAPACITOR MOUNTING
SHELF, RIGHT, GRAY, BOTTOM
SHELF, RIGHT, GRAY, BOTTOM
SHELF, LEFT, GRAY, BOTTOM
SHELF, LEFT, GRAY, BOTTOM

CHROME HANDLE LID KIT
SHELF STANDARD KIT , CLEAR 19 1/2"
BUMPER, CONTROL MOUNT

CS Info
PER PCN 9109
STANDARD
STANDARD
USED AFTER 3/02/17 PER PCN 9634
STANDARD
UPPER
PCN 9634
UPPER
PCN 9634
USED AFTER 11/1/17 PER PCN 9573. REGULAR AND FLAT LID
UNITS.
REPLACES 979685 PER PCN 10547
USE THE 882013 FIRST UNTIL STOCK IS DEPLETED.
FOR FLAT GLASS LID UNIT ONLY
OPTION
FLAT LID WITH NO HOLES. LIFT OFF FLAT LID

FLAT LID WITH NO HOLES. LIFT OFF FLAT LID
ALL ORDER RUN THRU ABBY B. NEEDS STEVE A OR DEBBIE R APPROVAL SUPPLY ONLY FOR PREFERRED - TRAINED SERVICE PROVIDERS
FIELD REPLACEMENT CONTROL FOR ALL MODELS LISTED ABOVE. DESIGNED TO BE ORDERED WITHOUT CABINET SERIAL NUMBER. PRODUCTION CONTROL CAN STILL BE ORDERED USING CABINET SERIAL NUMBER
USED AFTER APPROXIMATELY 3/3/19 WHEN INSTALLING BRACKETS ON PRE-DRILLED CUTTING BOARDS USED BEFORE 3/3/19 PER PCN 10245
USED AFTER 5/6/19 PER PCN 10245, DOES NOT REQUIRE DRILLING. ORDER BRACKETS SEPARATELY.
USED AFTER 5/6/19 PER PCN 10245, DOES NOT REQUIRE DRILLING. ORDER BRACKETS SEPARATELY.
USED AFTER 5/6/19 PER PCN 10245, DOES NOT REQUIRE DRILLING. ORDER BRACKETS SEPARATELY.
USED AFTER 5/6/19 PER PCN 10245, DOES NOT REQUIRE DRILLING. ORDER BRACKETS SEPARATELY.
USED AFTER 7/22/17 PER PCN 9634
PRO-01918
REQUIRES BRACKETS KIT 815172
STANDARD IN COOLER.
PARTS STOCK KIT- TO BE USED TO REPAIR ELECTRICAL CONNECTIONS
R290 ACCESS VALVE UTILIZED ON ICOR STYLE CANISTERS
GOES IN ONE OF THE TWO COILS- REPLACES 945052 PCN-11256
REPLACES 945053
USED AFTER 5/6/19 PER PCN 10245, DOES NOT REQUIRE DRILLING. ORDER BRACKETS SEPARATELY.
USE WHEN STOCK IS DEPLETED ON 997794 PER PCN 10707
LOCKS MUST BE FACTORY INSTALLED PCN 10751
PER PCN 10801,REPLACEMENT ONLY, WITH NEW STYLE LOCK OPTION. DOORS WILL NOT RETROFIT.
PER PCN 10801,REPLACEMENT ONLY, WITH NEW STYLE LOCK OPTION. DOORS WILL NOT RETROFIT.
PER PCN 10801,REPLACEMENT ONLY, WITH NEW STYLE LOCK OPTION. DOORS WILL NOT RETROFIT.
USED AFTER 5/6/19 PER PCN 10245, DOES NOT REQUIRE DRILLING. ORDER BRACKETS SEPARATELY.
USED AFTER APPROXIMATELY 3/4/19 PER PCN-10245. USED WITH CUTTING BOARDS WITHOUT HOLES.

USED AFTER APPROXIMATELY 3/4/19 PER PCN-10245. USED WITH CUTTING BOARDS WITHOUT HOLES.
USED AFTER APPROXIMATELY 3/4/19 PER PCN-10245. USED WITH CUTTING BOARDS WITHOUT HOLES.
USED AFTER APPROXIMATELY 4/11/19 PER PCN 10245
STANDARD
OPTION
OPTION
OPTION
OPTION
OPTION
.
FOR REPLACEMENT ONLY PER PCN 9573
OPTION
OPTION
FOR 1/6 SIZE FOR DRAINING FOODS
ALLOW 2 -3 WEEK LEADTIME TO SPECIAL ORDER THESE BOARDS.
USED AFTER APPROXIMATELY 3/4/19. USED WITH CUTTING BOARDS WITHOUT HOLES.
PCN- 11967
USED AFTER APPROXIMATELY 3/3/19 WHEN CUTTING BOARD OVERHANGS THE COUNTERTOP. PCN-10846
USED AFTER 9/2/19 PER PCN 10976. BRACKET TO SUPPORT FALSE BOTTOM
USED FOR REPLACEMENT OF EXISTING LOCK IN THE FIELD - PCN-10901
USED FOR REPLACEMENT OF EXISTING LOCK IN THE FIELD - PCN-10901
USED IN PRODUCTION AFTER 9/8/19 FOR REPLACEMENT OF EXISTING LOCK IN THE FIELD - PCN-10901
USED IN PRODUCTION AFTER 9/8/19. EQUIPMENT ORDERS ONLY PCN-10901
USED AFTER 12/16/19 PER PCN 11008
MUST QUOTE END USERS INTERNET PRICE OF \$21.45
47" POSTS FOR MOD PIZZA
HAS NEW OVERLOAD 820680. THE WHOLE COMPRESSOR WILL RETROFIT THE 985040 COMPRESSOR BUT THE OVERLOAD ALONE DOES NOT PER PCN-11501
USED AFTER 2/01/20 PER PCN-11592 TO REPLACE 832136 IN SALAD BAR SOLID DOORS.

REPLACES 979685 AND 211895
WITH SILVER HOUSING.
WITH SILVER HOUSING
OPTION.
OPTION. SILVER HOUSING.
STANDARD CASTOR
FOR ADA COMPLIANT HEIGHT REQUIREMENTS
FOR ADA COMPLIANT HEIGHT REQUIREMENTS
WHITE BUTTON THAT SECURES THERMOMETER TO WALL OF CABINET.
4 PER CABINET
LOCK WASHER
HAS SQUARE HOLE IN IT.
UNIVERSAL CONTROL KIT - NOT TO BE USED AS A REPLACEMENT FOR ANY UNIT BEING REPAIRED UNDER WARRANTY.
NOT TO BE USED AS A REPLACEMENT IF TEMPERATURE CONTROL IS BEING ORDER BY SERIAL NUMBER.
ONLY FOR USE ON UNITS AFTER SERIAL NUMBER 10033939. USED FOR DRILLING REVERSABLE HINGE LOCATION HOLES THAT MIGHT NOT HAVE BEEN FACTORY DRILLED.
823089 REPLACES THE 832136 HINGE IN SOLID SALAD BAR DOORS AFTER 2/1/20 PER PCN-11592. IF REPLACING THE 832136 IN A GLASS DOOR USE KIT 828300

USED AFTER 6/18/1990 FOR LEFT DOOR. USE AFTER 2/26/2007 FOR CENTER DOOR HINGED LEFT (PCN #3352)
823089 REPLACES THE 832136 HINGE IN SOLID SALAD BAR DOORS AFTER 2/1/20 PER PCN-11592. IF REPLACING THE 832136 IN A GLASS DOOR USE KIT 823089
FOR REPLACEMENT ONLY PER PCN 9573. USE WITH NOTCHED CRUMB CATCHER CUTTING BOARD
**NOTE UTILITY SHELF FOR ATTACHING TO TOP OF CABINET...REQUIRES A 874644 TO BACK OF CABINET.
REQUIRES 874642 RIVNUT TOOL KIT TO FIELD INSTALL.
LOCATED ON CABINET "NOT ON DOOR". SURROUNDS DOOR OPENING. INSERTS INTO PERIMETER PLASTIC. 6 PIECE ASSEMBLY
FOR ADA COMPLIANT HEIGHT REQUIREMENTS
LOCATED ON BACK OF COOLER TO DIRECT DRAIN HOSE TO BOTTOM DRAIN PAN.
HOLES ARE PREDRILLED FOR KEYHOLE SUPPORTS. REQUIRES BRACKETS AND RIVNUT TOOL TO INSTALL.
BOTH ENDS HAVE DOWNWARD FLANGE. 6 TOTAL USED PER CABINET.
OBSOLETE
OBSOLETE
OBSOLETE
USED BEFORE 5/6/19 WITH KEY HOLE SUPPORT PER PCN 10245, REQUIRES DRILLING
HOLES DRILLED 2 7/8" X 3 15/16" BACK
ALLOW 2 -3 WEEK LEADTIME TO SPECIAL ORDER THESE BOARDS.

FOR FIELD INSTALL. COMES WITH VELCRO SO IT CAN BE PLACED
IN ANY LOCATION. HAS TRANSFORMER ON PLUG SO IT WORKS
WITH ALL VOLTAGES

FOR FIELD INSTALL. COMES WITH VELCRO SO IT CAN BE
PLACED IN ANY LOCATION. NO SPECIAL SIGN PANEL REQUIRED.
HAS TRANSFORMER ON PLUG SO IT WORKS WITH ALL
VOLTAGES

10 DAY LEAD TIME

USED AFTER 4/26/2008 (PCN #4130/4139)

USED AFTER ~1/17/2010 (PCN #4418) USED AS CENTER
GASKET TILL APPROXIMATELY 11/5/17

INCLUDES PERIMETER PLASTIC AND STAINLESS THAT SURROUNDS THE DOOR OPENING. LOCATED ON THE CABINET.

FOR SPECIAL APPLICATION OF EXTERIOR THERMOMETER. 12/18
PAN CONFIGURATION

THIS OPTION IS AVAILABLE AS OF 1/31/12. THE HANDLE APPEARANCE IS DIFFERENT THAN THE ORIGINAL HANDLE. REPLACING ALL RECESSED HANDLES ON THIS MODEL MAKE THE DOORS UNIFORM IN APPEARANCE.

THIS OPTION IS AVAILABLE AS OF 1/31/12. THE HANDLE APPEARANCE IS DIFFERENT THAN THE ORIGINAL HANDLE. REPLACING ALL RECESSED HANDLES ON THIS MODEL MAKE THE DOORS UNIFORM IN APPEARANCE
PER PCN 5843. THIS IS RED TUBING THAT WAS ADDED TO PROCESS LINES AS AN INDICATOR OF FLAMMABLE REFRIGERANT
REQUIRES PROGRAMMING.
ALL ORDERS RUN THRU VICKY. SUPPLY ONLY FOR PREFERRED - TRAINED SERVICE PROVIDERS **DISCOUNT AVAILABLE WHEN PURCHASING QUANTITY OF 24** PLEASE SEE VICKY FOR PRICING ON 24 OR MORE
USE W/COMPRESSOR 985040 115V FFU160UAX...
NO CHARGE PART
REPLACE WITH 211895 PER PCN 10547
REQUIRES SPECIAL COUNTERTOP WITH RECTANGULAR CUT OUT. PCN 7886
USED BEFORE APPROXIMATELY 3/4/19 PER PCN 10245 WITH KEY HOLE SUPPORT, REQUIRES DRILLING USED WITH FLAT GLASS LID ONLY
FGLID LIFT COVER. WILL NOT RETRO FIT ON NON GLASS LID UNITS
USED AFTER 11/2/14 PER PCN 7881.
USED AFTER 11/2/14 PER PCN 7881.
LOCATED AT BOTTOM OF DRAIN TROUGH.
OBSOLETE. USED AFTER 6/5/16 PER PCN 8924 WITH HANDLE 996771.
USED AFTER 6/5/16 PRODUCTION PER PCN 8924. DIRECT REPLACEMENT FOR THE 830100. UTD THEN REPLACE WITH 967195 (CONTROL ONLY) WARRANTY TO USE THE CONTROL ONLY OR 222737 CONTROL KIT FOR NOT WARRANTY
USED AFTER 12/12/15 PER PCN 8807
STANDARD
STANDARD
STANDARD
STANDARD

USES 6
USED WITH THE LAE CONTROL